

Karcher BD 50/40 RS Step-on scrubber drier.

The BD 50/40 RS combines the productivity of Kärcher's proven step-on design with the dimensions of a small walk behind machine. With unrivalled visibility, manoeuvrability and cleaning performance from its 50cm disc brush or pad, the 50/40 RS brings unprecedented levels of convenience and productivity to the scrubber drier market.

Features and benefits

| Simple operation | Easy to use. | | |
|------------------------------------|---|--|--|
| | eco!efficiency mode saves time, energy, water and cleaning agent. | | |
| Automatic filling option | The machine is simply connected to the water supply. The water supply is automatically shut off when the machine is filled to capacity. | | |
| | This saves time, as the operator can do other jobs in the meantime. | | |
| DS3 dosing system | Prevent over-dosage. Optionally available. | | |
| Eco mode | Saves time, energy, water and cleaning agent. | | |
| Easy to use controls | Only 1 button for all cleaning settings. Easy to use. | | |
| Easy changeover | Squeegees and brushes can be replaced without tools.Squeegee can be replaced in seconds. | | |
| Unique squeegee rotating principle | For 100% water pick up. | | |
| Extremely easy to manoeuvre | For good manoeuvrability, high surface coverage and less subsequent cleaning. | | |
| Compact dimensions. | • Full view 30 cm in front of the vehicle. For precise cleaning. | | |
| Compact design | Easy to transport and store. | | |
| | | | |

Technical data

Specifications

| Working width, brush (mm) | 508 |
|-----------------------------------|---------|
| Working width, vacuum (mm) | 691 |
| Fresh / waste water tank (I) | 40 / 40 |
| Max. area performance (m²/h) | 2200 |
| Practical area performance (m²/h) | 1650 |
| Brush rotation speed (rpm) | 180 |
| Brush contact pressure (g/cm²) | |

| Battery voltage (V) | 36 |
|-----------------------------|-------------------|
| Battery capacity (Ah) | 76 |
| Motor rating (W) | 836 |
| Traction motor (W) | 157 |
| Weight (kg) | 200 |
| Weight with battery (kg) | 200 |
| Dimensions (L x W x H) (mm) | 1130 x 680 x 1543 |
| | |

 Sound level (dB(A))
 66.9

 Frequency (Hz)
 50 / 60

Voltage (V) 220 / 240